



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 511 DF. FOR RECIPROCATING SAWS

SKU: 3165140612067

Reciprocating saw blade S 511 DF. For reciprocating saws

Categories: [Accessories for BOSCH professional](#), [Saws](#)

Product Features: Wood with nails/metal [mm]: <50

Wooden boards, chipboard [mm]: <50

Plastics: pipes, profiles [mm]: <50

Glass fibre reinforced plastic/epoxy [mm]: <50

Tooth design: side set, milled

Tooth spacing [mm]: 4

Tooth pitch [TPI]: 6

Total length [mm]: 100

Total length [Inch]: 4

Width [mm]: 19

Thickness [mm]: 0,9

Blade material: BI-METAL

Blade material abbreviation: BIM

Body material: HCS

Max. cut capacity [mm]: 50

Progressive: no

Benefit HL (short): Fast Cuts in Wood with Nails, Mild Steel, Non-Ferrous Metals

Performance Claim Text: Fast Cuts

(Version) Key RTB: Large tooth pitch (4.3 mm) and side-set teeth enable rapid cutting
Specific RTB1: BIM blade is optimised to cut soft nails, mild steel materials and non-ferrous metal components embedded in wood

Specific RTB2: Short length (100 mm) enables a cutting capacity up to 50 mm and makes it ideal for use with cordless compact saws

Material: Wood with nails



Material: Plastics

Product text, Accessories grey: **S 511 DF**

Product text, Accessories grey: BIM, side set, milled

Product text, Accessories grey: Especially optimised for use in compact saws.

Product text, Accessories grey: Wood with nails/metal, wood, chipboard, plastic pipes and profiles, glass fibre plastic / epoxy resin.

SOL Date: 01.04.2011

Novelty: no

Scope of delivery:

5 ST Reciprocating saw blade S 511 DF. For reciprocating saws |

PRODUCT DESCRIPTION

The S 511 DF Flexible for Wood and Metal Reciprocating Saw Blade delivers fast cuts in wood and metal. Its large tooth pitch (4 mm) and side-set teeth enable rapid cutting. Moreover, the BIM (bi-metal) blade is optimised to cut soft nails, mild steel materials and non-ferrous metal components embedded in wood. Its short length (100 mm) enables a cutting capacity up to 50 mm and makes it ideal for use with cordless compact saws.

Article ID: 2608657722

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.