



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 925 VF. FOR RECIPROCATING SAWS

SKU: 3165140451949

Reciprocating saw blade S 925 VF. For reciprocating saws

Categories: [Accessories for BOSCH professional](#), [Saws](#)

Product Features: Sheet metals, thick, from [mm]: 2

Sheet metals, thick, to [mm]: 10

Sheet metals, thick [mm]: 2-10

Pipes/profiles, thin-walled: open+closed [mm]: <100

Pipes/profiles, thick-walled: open+closed [mm]: <100

Profiles, pipes: closed [mm]: <100

Profiles, pipes: open [mm]: <100

Tooth design: Vario toothing

Tooth spacing [mm]: 1.8-2.6

Tooth pitch [TPI]: 10-14

Total length [mm]: 150

Total length [Inch]: 6

Width [mm]: 19

Thickness [mm]: 1,25

Blade material: BI-METAL

Blade material abbreviation: BIM

Body material: HCS

Recommended min. material thickness [mm]: 2,5

Recommended max. material thickness [mm]: 10

Max. cut capacity [mm]: 100

Areas of application: Medium-thick to thick sheet metals (2-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm).

Ideal for demolition work in metal. Effortless, fine cut.

Progressive: no



Type: S 925 VF

Benefit HL (short): Smooth Demolition Cuts

Performance Claim Text: Effortless and Smooth Demolition

Material: Steel

Material: Non-ferrous metals

Product text, Accessories grey: **S 925 VF**

Product text, Accessories grey: BIM, vario-pitched teeth

Product text, Accessories grey: Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal.

Effortless, fine cut.

SOL Date: 05.02.2007

Novelty: no

Scope of delivery:

5 ST Reciprocating saw blade S 925 VF. For reciprocating saws |

PRODUCT DESCRIPTION

The S 925 VF Heavy for Metal Reciprocating Saw Blade delivers effortless and smooth cuts in metal. Its thick gauge material (1.25 mm) provides the stability needed in metal demolition. Moreover, the reciprocating saw blades vario-tooth geometry is optimised for easy, comfortable and vibration-reduced cutting. The BIM (bi-metal) blade is designed for cutting regular-strength steel in demolition applications. Its vario-tooth pitch (1.8/2.6 mm) can be used on pipes and profiles with a wall thickness of 2 mm to 10 mm. It is equipped with a standard length of 150 mm, providing a cutting capacity of up to 100 mm.

Article ID: 2608657407

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.