



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 927 BEF. FOR RECIPROCATING SAWS

**SKU:** 3165140695398

Reciprocating saw blade S 927 BEF. For reciprocating saws

---

**Categories:** [Accessories for BOSCH professional](#), [Saws](#)

**Product Features:** Sheet metals, thick, from [mm]: 3  
Sheet metals, thick, to [mm]: 8  
Sheet metals, thick [mm]: 3-8  
Pipes/profiles, thin-walled: open+closed [mm]: <100  
Profiles, pipes: closed [mm]: <100  
Profiles, pipes: open [mm]: <100  
Tooth design: Micro Edge Geometry  
Tooth spacing [mm]: 1.4+1.8  
Tooth pitch [TPI]: 14+18  
Total length [mm]: 150  
Total length [Inch]: 6  
Width [mm]: 25  
Thickness [mm]: 1,1  
Blade material: BI-METAL  
Blade material abbreviation: BIM  
Body material: HCS  
Recommended min. material thickness [mm]: 2  
Recommended max. material thickness [mm]: 6  
Max. cut capacity [mm]: 100  
Areas of application: Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.  
Progressive: no  
Type: S 936 BEF  
Benefit HL (short): Precise and Smooth Cuts in Thin-Wall Metal Pipes and Profiles



Performance Claim Text: Precise and Smooth Cuts

(Version) Key RTB: Wide 25 mm body enables accurate straight cutting

Specific RTB1: Patented full-contact design with concave-shaped cutting edge increases lifetime and speed

Specific RTB2: Effortless work thanks to patented 2x2 fine tooth pitch geometry. BIM blade is designed for cutting steel materials

Specific RTB3: Tooth pitch (1.4+1.8 mm) for cutting thin-wall steel pipes and profiles.

Standard length for a 100 mm cutting capacity

Material: Steel

Material: Stainless steel

Material: Cast iron

Material: Tough steel

Material: Metal pipes and profiles

Product text, Accessories grey: **S 927 BEF**

Product text, Accessories grey: BIM, Micro

Edge Geometry, patented 2x2 Tooth

Geometry with Full Contact Design

Product text, Accessories grey: Medium-thick

to thick sheet metals (2-6 mm), thin-walled

closed and open profiles and pipes (<100

mm). Fine, precise cuts at accurate angles.

SOL Date: 01.01.2016

Novelty: no

Scope of delivery:

1 ST Reciprocating saw blade S 927 BEF. For reciprocating saws |

## PRODUCT DESCRIPTION

The S 927 BEF Speed for Heavy Metal Reciprocating Saw Blade delivers precise and smooth straight cuts in metal. Its wide 25 mm body enables accurate straight cutting, while its patented full-contact design with a concave-shaped cutting edge increases the blades lifetime and speed. Moreover, work is effortless thanks to its patented 2x2 fine tooth pitch geometry. The BIM (bi-metal) blade is designed for cutting steel materials. Featuring a tooth pitch of 1.4+1.8 mm, this reciprocating saw blade can be used for cutting thin-wall steel pipes and profiles with a wall thickness of 3 mm to 8 mm. It is equipped with a standard length of 150 mm, providing a cutting capacity of up to 100 mm.

Article ID: 2608657936



#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.