Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 930 CF. FOR RECIPROCATING SAWS

SKU: 3165140695381

Reciprocating saw blade S 930 CF. For reciprocating saws

Categories: Accessories for BOSCH professional, Saws

Product Features: Sheet metals, thick, from [mm]: 4
Sheet metals, thick, to [mm]: 12
Sheet metals, thick [mm]: 4-12
Pipes/profiles, thick-walled: open+closed [mm]: <100
Profiles, pipes: closed [mm]: <100
Profiles, pipes: open [mm]: <100
Profiles, pipes: solid [mm]: <100
Solid materials [mm]: <100
Tooth design: Micro Edge Geometry
Tooth spacing [mm]: 2.5+3.2
Tooth pitch [TPI]: 8+10
Total length [mm]: 150
Total length [Inch]: 6
Width [mm]: 22
Thickness [mm]: 1,6
Blade material: BI-METAL
Blade material abbreviation: BIM
Body material: HCS
Recommended min. material thickness [mm]: 4
Recommended max. material thickness [mm]: 12
Max. cut capacity [mm]: 100
Areas of application: Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.
Progressive: no

Copyright © 2023 Actik Tools All rights reserved

Type: S 930 CF
Benefit HL (short): Controlled Demolition Cuts in Metal
Performance Claim Text: Powerful and Controlled Demolition
(Version) Key RTB: Wide body (22 mm) combined with extra-thick gauge material (1.6 mm) provides ultimate stability for metal demolition
Specific RTB1: Micro-edge tooth geometry with precision-ground teeth ensures maximum lifetime when working in regular-strength steel
Specific RTB2: Speed and endurance in thick materials are increased further thanks to patented 2x2 large tooth pitch geometry
Specific RTB3: BIM blade for demolition applications. Large tooth pitch for pipes (4-12 mm). For use with pipe-cutting devices
Material: Tough steel
Product text, Accessories grey: **S 930 CF**
Product text, Accessories grey: BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Product text, Accessories grey: Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.
SOL Date: 10.02.2012
Novelty: no

Scope of delivery:
1 ST Reciprocating saw blade S 930 CF. For reciprocating saws |

PRODUCT DESCRIPTION

The S 930 CF Endurance for Metal Reciprocating Saw Blade delivers powerful and controlled straight cuts in metal. Its wide body (22 mm) combined with extra-thick gauge material (1.6 mm) provides the ultimate stability necessary for metal demolition. Additionally, a micro-edge tooth geometry with precision-ground teeth ensures maximum lifetime. Speed and endurance in thick materials are increased further thanks to a patented 2x2 large tooth pitch geometry. The BIM (bi-metal) blade is designed for cutting regular-strength steel materials in demolition applications. Its large tooth pitch (2.5+3.2 mm) can be used on pipes and profiles with a wall thickness of 4 mm to 12 mm. It has a standard length of 150 mm for cutting up to 100 mm deep. The S 930 CF Endurance for Metal Reciprocating Saw Blade is ideal for use with pipe-

Copyright © 2023 Actik Tools All rights reserved

cutting devices.

Article ID: 2608657935

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved