



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 930 CF. FOR RECIPROCATING SAWS

**SKU:** 3165140695381

Reciprocating saw blade S 930 CF. For reciprocating saws

---

**Categories:** [Accessories for BOSCH professional](#), [Saws](#)

**Product Features:** Sheet metals, thick, from [mm]: 4

Sheet metals, thick, to [mm]: 12

Sheet metals, thick [mm]: 4-12

Pipes/profiles, thick-walled: open+closed [mm]: <100

Profiles, pipes: closed [mm]: <100

Profiles, pipes: open [mm]: <100

Profiles, pipes: solid [mm]: <100

Solid materials [mm]: <100

Tooth design: Micro Edge Geometry

Tooth spacing [mm]: 2.5+3.2

Tooth pitch [TPI]: 8+10

Total length [mm]: 150

Total length [Inch]: 6

Width [mm]: 22

Thickness [mm]: 1,6

Blade material: BI-METAL

Blade material abbreviation: BIM

Body material: HCS

Recommended min. material thickness [mm]: 4

Recommended max. material thickness [mm]: 12

Max. cut capacity [mm]: 100

Areas of application: Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

Progressive: no



Type: S 930 CF  
Benefit HL (short): Controlled Demolition  
Cuts in Metal  
Performance Claim Text: Powerful and Controlled Demolition  
(Version) Key RTB: Wide body (22 mm) combined with extra-thick gauge material (1.6 mm) provides ultimate stability for metal demolition  
Specific RTB1: Micro-edge tooth geometry with precision-ground teeth ensures maximum lifetime when working in regular-strength steel  
Specific RTB2: Speed and endurance in thick materials are increased further thanks to patented 2x2 large tooth pitch geometry  
Specific RTB3: BIM blade for demolition applications. Large tooth pitch for pipes (4-12 mm). For use with pipe-cutting devices  
Material: Tough steel  
Product text, Accessories grey: **S 930 CF**  
Product text, Accessories grey: BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry  
Product text, Accessories grey: Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.  
SOL Date: 10.02.2012  
Novelty: no

Scope of delivery:  
1 ST Reciprocating saw blade S 930 CF. For reciprocating saws |

## PRODUCT DESCRIPTION

The S 930 CF Endurance for Metal Reciprocating Saw Blade delivers powerful and controlled straight cuts in metal. Its wide body (22 mm) combined with extra-thick gauge material (1.6 mm) provides the ultimate stability necessary for metal demolition. Additionally, a micro-edge tooth geometry with precision-ground teeth ensures maximum lifetime. Speed and endurance in thick materials are increased further thanks to a patented 2x2 large tooth pitch geometry. The BIM (bi-metal) blade is designed for cutting regular-strength steel materials in demolition applications. Its large tooth pitch (2.5+3.2 mm) can be used on pipes and profiles with a wall thickness of 4 mm to 12 mm. It has a standard length of 150 mm for cutting up to 100 mm deep. The S 930 CF Endurance for Metal Reciprocating Saw Blade is ideal for use with pipe-



cutting devices.

Article ID: 2608657935

**PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.