Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 936 CHF. FOR RECIPROCATING SAWS

SKU: 3165140507172

Reciprocating saw blade S 936 CHF. For reciprocating saws

Categories: Accessories for BOSCH professional, Saws

Product Features: Sheet metals, thick, from [mm]: 4
Sheet metals, thick, to [mm]: 12
Sheet metals, thick [mm]: 4-12
Pipes/profiles, thick-walled: open+closed [mm]: <100
Profiles, pipes: closed [mm]: <100
Profiles, pipes: open [mm]: <100
Profiles, pipes: solid [mm]: <100
Solid materials [mm]: <100
Tooth design: Micro Edge Geometry
Tooth spacing [mm]: 2.5+3.2
Tooth pitch [TPI]: 8+10
Total length [mm]: 150
Total length [Inch]: 6
Width [mm]: 25
Thickness [mm]: 1,1
Blade material: BI-METAL
Blade material abbreviation: BIM
Body material: HCS
Recommended min. material thickness [mm]: 4
Recommended max. material thickness [mm]: 12
Max. cut capacity [mm]: 100
Areas of application: Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.
Progressive: no
Type: S 936 CHF

Copyright © 2023 Actik Tools All rights reserved

Benefit HL (short): Precise and Fast Cuts in Thick-Wall Pipes and Profiles
Performance Claim Text: Precise and Fast Cuts
(Version) Key RTB: Wide body (25 mm) combined with thick gauge material (1.1 mm) makes accurate straight cutting possible
Specific RTB1: Effortless cuts thanks to patented 2x2 fine tooth pitch geometry for increased speed and durability in thick materials
Specific RTB2: Maximum lifetime in regular-strength steel ensured by micro-edge tooth geometry with precision-ground teeth. BIM blade
Specific RTB3: Large tooth pitch (2.5+3.2 mm) for thick-wall pipes and profiles (4-12 mm). Standard length for a 100 mm cutting capacity
Material: Steel
Material: Stainless steel
Material: Cast iron
Material: Tough steel
Material: Metal pipes and profiles
Product text, Accessories grey: **S 936 CHF**
Product text, Accessories grey: BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Product text, Accessories grey: Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.
SOL Date: 26.03.2008
Novelty: no

Scope of delivery:
5 ST Reciprocating saw blade S 936 CHF. For reciprocating saws |

PRODUCT DESCRIPTION

The S 936 BEF Endurance for Heavy Metal Reciprocating Saw Blade delivers precise and fast straight cuts in metal. Its wide body (25 mm) combined with thick gauge material (1.1 mm) makes accurate straight cutting possible. Moreover, work is effortless and smooth thanks to the blades patented 2x2 fine tooth pitch geometry, which also increases speed and durability in thick materials. Maximum lifetime is further ensured by its micro-edge tooth geometry with precision-ground teeth. Furthermore, the BIM (bi-metal)

Copyright © 2023 Actik Tools All rights reserved

blade is designed for cutting regular-strength steel. The blades large tooth pitch (2.5+3.2 mm) can be used for thick-wall pipes and profiles with 4 mm to 12 mm. It has a standard length of 150 mm for a cutting capacity of up to 100 mm.

Article ID: 2608657525

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved