



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW GSA 1100 E

SKU: 3165140508469

Reciprocating Saw GSA 1100 E

Categories: [BOSCH professional](#), [Saws](#)

Product Features: Tool dimensions (width):
95 mm

Tool dimensions (length): 497 mm

Tool dimensions (height): 160 mm

Packaging dimensions (width): 300 mm

Packaging dimensions (length): 575 mm

Packaging dimensions (height): 135 mm

Packaging dimensions (width x length x
height): 300 x 575 x 135 mm

Voltage, electrical: 230 V

Rated input power: 1.100 W

Weight: 3,6 kg

Cutting depth in wood: 230 mm

Cutting depth in metal profiles and metal
pipes: 20 mm

No-load stroke rate, from: 0 spm

No-load stroke rate, up to: 2.700 spm

Stroke rate at no load: 0 - 2,700 spm

Saw, stroke length: 28 mm

Vibration emission value ah [Sawing wood]:
18,0 m/s²

Uncertainty K [Sawing wood]: 1,5 m/s²

Product category subdivision: Reciprocating
Saw

Positioning: Reliable and lightweight
reciprocating saw

User benefit incl. Reason to believe: 1,100 W
drivetrain ensures a strong performance in a
variety of applications

User benefit incl. Reason to believe: Better
control during operation thanks to variable
speed

User benefit incl. Reason to believe:
Integrated LED light delivers increased



visibility while working
Positioning (BE): The convenient tool with the fastest saw blade changes
User benefit incl. Reason to believe (BE): Bosch SDS System for convenient and fast saw blade changing
User benefit incl. Reason to believe (BE): Highest power to weight ratio
User benefit incl. Reason to believe (BE): Fastest cutting in the widest variety of materials - optimised orbital action and SPM for most materials
Areas of application: Sawing concrete
Areas of application: Sawing ferrous metals
Areas of application: Sawing wood
Areas of application: Sawing synthetic material
Areas of application: Sawing natural materials
Areas of application: Sawing non-ferrous metal
Areas of application: Sawing stone
Title: Reciprocating Saw GSA 1100 E Professional
Novelty: no
Scope of supply: Carrying case (2 610 956 923)
Scope of supply: 1 x reciprocating saw blade S 2345 X, Progressor for Wood (available separately as set of 2: 2 608 654 403)
Scope of supply: 1 x reciprocating saw blade S 123 XF, Progressor for Metal (available separately as set of 2: 2 608 654 416)
SOL Date: 01.01.2017

Scope of delivery:
1 ST Reciprocating Saw GSA 1100 E |

PRODUCT DESCRIPTION

Reciprocating Saw GSA 1100 E, The lightweight and reliable GSA 1100 E Professional reciprocating saw gets the job done. Its 1,100 W drivetrain delivers a strong performance in a variety of applications. Equipped with variable speed, it enables better control when sawing. Due to an integrated LED light, the GSA 1100 E Professional provides increased visibility while working. This reciprocating saw is intended for sawing wood, metal, and plastic, as well as wood composites and insulation material. The GSA 1100 E Professional also features a hanging hook and tool-free SDS saw blade changes. Carrying case (2 610 956



923); 1 x reciprocating saw blade S 2345 X, Progressor for Wood (available separately as set of 2: 2 608 654 403); 1 x reciprocating saw blade S 123 XF, Progressor for Metal (available separately as set of 2: 2 608 654 416)

Article ID: 060164C800

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.