



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER PBH 2500 RE

SKU: 3165140668231

Rotary Hammer PBH 2500 RE

**Categories:** [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Power input: 600 W

Power output: 300 W

No-load speed, from: 0 rpm

No-load speed, up to: 2.000 rpm

No-load speed: 0 - 2,000 rpm

Impact rate, from: 0 bpm

Impact rate, up to: 5.100 bpm

Impact rate: 0 - 5,100 bpm

Single impact force (EPTA): 1,9 J

Bosch hammer mechanism: pneumatic

Max. drilling diameter in concrete: 22 mm

Max. drilling diameter in steel: 13 mm

Max. drilling diameter in wood: 30 mm

Pneumatic hammer mechanism: yes

Rotation Stop: yes

Speed preselection: no

2-speed gearbox: no

4 m cable: no

Bosch Electronic: yes

Chisel function: yes

Right-hand/left-hand rotation: yes

Bosch SDS plus: yes

Softgrip: yes

Application: screwdriving / drill. / hammer drill.: yes

Bosch SDS quick-change chuck: no

Vibration emission value ah [Hammer drilling in concrete]: 16,0 m/s<sup>2</sup>

Uncertainty K [Hammer drilling in concrete]: 1,5 m/s<sup>2</sup>

Vibration emission value ah [Chiselling]: 11,9 m/s<sup>2</sup>

Uncertainty K [Chiselling]: 1,5 m/s<sup>2</sup>



Voltage: 230 V  
Bit holder: SDS plus  
Tool dimensions (L x W x H): 122 x 385 x 372 mm  
Weight: 2,2 kg  
Packaging dimensions (length): 122 mm  
Packaging dimensions (width): 385 mm  
Packaging dimensions (height): 372 mm  
Packaging dimensions (L x W x H): 122 x 385 x 372 mm  
Product short description: Compact and very powerful for drilling, hammering, and chiselling  
TOP product characteristics: 600 W motor and pneumatic hammer mechanism with 1.9 j for any application  
TOP product characteristics: SDS plus chuck for fast, keyless accessory changes  
TOP product characteristics: Hammer and chisel in concrete and masonry or drill in tile, wood, and metal  
TOP product characteristics: Chisel function with Vario Lock providing various selectable chisel positions  
TOP product characteristics: Drilling up to 22/30/13 mm diameter in concrete/wood/metal, weighing only 2.2 kg  
Product category subdivision: Rotary Hammer  
Standard of comparison: Rotary Hammer  
Title: Rotary Hammer PBH 2500 RE  
Scope of supply: Depth stop (2 603 001 019)  
Scope of supply: Auxiliary handle (2 602 025 102)  
Scope of supply: Plastic case  
SOL Date: 05.05.2012  
Novelty: no

Scope of delivery:  
1 ST Rotary Hammer PBH 2500 RE |

## PRODUCT DESCRIPTION

Rotary Hammer PBH 2500 RE, Compact and very powerful for drilling, hammering, and chiselling, 600 W motor and pneumatic hammer mechanism with 1.9 j for any application, SDS plus chuck for fast, keyless accessory changes, Hammer and chisel in concrete and masonry or drill in tile, wood, and metal, Chisel



function with Vario Lock providing various selectable chisel positions, Drilling up to 22/30/13 mm diameter in concrete/wood/metal, weighing only 2.2 kg, Depth stop (2 603 001 019), Auxiliary handle (2 602 025 102), Plastic case

Article ID: 0603344401

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.