Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER PBH 2500 SRE

SKU: 3165140669603

Rotary Hammer PBH 2500 SRE

Categories: BOSCH Power tools DIY and gardening, Drills and screwdrivers

Product Features: Power input: 600 W
Power output: 300 W
No-load speed, from: 0 rpm
No-load speed, up to: 2.000 rpm
No-load speed: 0 - 2,000 rpm
Impact rate, from: 0 bpm
Impact rate, up to: 5.100 bpm
Impact rate: 0 - 5,100 bpm
Single impact force (EPTA): 1,9 J
Bosch hammer mechanism: pneumatic
Max. drilling diameter in concrete: 22 mm
Max. drilling diameter in steel: 13 mm
Max. drilling diameter in wood: 30 mm
Pneumatic hammer mechanism: yes
Rotation Stop: yes
Speed preselection: no
2-speed gearbox: no
4 m cable: no
Bosch Electronic: yes
Chisel function: yes
Right-hand/left-hand rotation: yes
Bosch SDS plus: yes
Softgrip: yes
Application: screwdriving / drill. / hammer drill.: yes
Bosch SDS quick-change chuck: no
Vibration emission value ah [Hammer drilling in concrete]: 16,0 m/s²
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s²
Vibration emission value ah [Chiselling]: 11,9 m/s²
Uncertainty K [Chiselling]: 1,5 m/s²

Copyright © 2023 Actik Tools All rights reserved

Tool dimensions (L x W x H): 380 x 370 x 110 mm
Weight: 2,2 kg
Packaging dimensions (length): 380 mm
Packaging dimensions (width): 370 mm
Packaging dimensions (height): 110 mm
Packaging dimensions (L x W x H): 380 x 370 x 110 mm
Product short description: High-powered and compact for drilling, hammering, and chiselling
TOP product characteristics: 600 W motor and pneumatic hammer mechanism with 1.9 j for any application
TOP product characteristics: SDS plus chuck for tool-less drill change and SDS adapter drill chuck for round drill bits
TOP product characteristics: Hammering and chiselling in concrete and masonry; drilling in tile, wood, and metal
TOP product characteristics: Chisel function with Vario Lock provides various selectable chisel positions
TOP product characteristics: Lightweight (2.2 kg); drills up to 20/30/13 mm diameter in concrete/wood/metal
Product category subdivision: Rotary Hammer
Usage level: Universal
Standard of comparison: Rotary Hammer
Title: Rotary Hammer PBH 2500 SRE
Scope of supply: Bosch SDS adapter chuck (2 609 255 708)
Scope of supply: 6-piece SDS plus S2 drill bit set (2 607 019 447)
Scope of supply: Depth stop (2 603 001 019)
Scope of supply: Auxiliary handle (2 602 025 102)
Scope of supply: Plastic case
SOL Date: 05.05.2012
Novelty: no

Scope of delivery:
1 ST Rotary Hammer PBH 2500 SRE |

Copyright © 2023 Actik Tools All rights reserved

PRODUCT DESCRIPTION

Rotary Hammer PBH 2500 SRE, High-powered and compact for drilling, hammering, and chiselling, 600 W motor and pneumatic hammer mechanism with 1.9 j for any application, SDS plus chuck for tool-less drill change and SDS adapter drill chuck for round drill bits, Hammering and chiselling in concrete and masonry; drilling in tile, wood, and metal, Chisel function with Vario Lock provides various selectable chisel positions, Lightweight (2.2 kg); drills up to 20/30/13 mm diameter in concrete/wood/metal, Bosch SDS adapter chuck (2 609 255 708), 6-piece SDS plus S2 drill bit set (2 607 019 447), Depth stop (2 603 001 019), Auxiliary handle (2 602 025 102), Plastic case

Article ID: 0603344402

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved