



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER PBH 2800 RE

SKU: 3165140430241

Rotary Hammer PBH 2800 RE

**Categories:** [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Power input: 720 W  
No-load speed, from: 0 rpm  
No-load speed, up to: 1.450 rpm  
No-load speed: 0 - 1,450 rpm  
Impact rate, from: 0 bpm  
Impact rate, up to: 4.000 bpm  
Impact rate: 0 - 4,000 bpm  
Single impact force (EPTA): 2,6 J  
Bosch hammer mechanism: pneumatic  
Max. drilling diameter in concrete: 26 mm  
Max. drilling diameter in steel: 13 mm  
Max. drilling diameter in wood: 30 mm  
With core cutters in masonry: 68 mm  
Pneumatic hammer mechanism: no  
Rotation Stop: yes  
Speed preselection: yes  
2-speed gearbox: no  
4 m cable: no  
Bosch Electronic: yes  
Chisel function: yes  
Right-hand/left-hand rotation: yes  
Bosch SDS plus: yes  
Softgrip: yes  
Application: screwdriving / drill. / hammer drill.: yes  
Bosch SDS quick-change chuck: no  
Vibration emission value ah [Hammer drilling in concrete]: 16,0 m/s<sup>2</sup>  
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Chiselling]: 14,0 m/s<sup>2</sup>  
Uncertainty K [Chiselling]: 1,5 m/s<sup>2</sup>



Voltage: 230 V

Tool dimensions (L x W x H): 468 x 385 x 120 mm

Weight: 3,0 kg

Packaging dimensions (length): 468 mm

Packaging dimensions (width): 385 mm

Packaging dimensions (height): 120 mm

Packaging dimensions (L x W x H): 468 x 385 x 120 mm

Product short description: Powerful for tough drilling, hammering and chiselling jobs

TOP product characteristics: 720 W motor and pneumatic hammer mechanism with 2.6 j for tough applications

TOP product characteristics: Overload clutch for user and tool protection against binding or overloads

TOP product characteristics: Hammer and chisel in concrete and masonry or drill in tile, wood, and metal

TOP product characteristics: Chisel function with Vario Lock providing various selectable chisel positions

TOP product characteristics: Drills up to 26/30/13 mm diameter concrete/wood/metal, weighing only 3.0 kg

Product category subdivision: Rotary Hammer

Usage level: Advanced

Standard of comparison: Rotary Hammer

Title: Rotary Hammer PBH 2800 RE

Scope of supply: Flat chisel (2 609 255 570)

Scope of supply: Depth stop (2 603 001 019)

Scope of supply: Auxiliary handle (2 602 025 125)

Scope of supply: Plastic case

SOL Date: 31.05.2007

Novelty: no

Scope of delivery:

1 ST Rotary Hammer PBH 2800 RE |

## PRODUCT DESCRIPTION

Rotary Hammer PBH 2800 RE, Powerful for tough drilling, hammering and chiselling jobs, 720 W motor and pneumatic hammer mechanism with 2.6 j for tough applications, Overload clutch for user and tool



protection against binding or overloads, Hammer and chisel in concrete and masonry or drill in tile, wood, and metal, Chisel function with Vario Lock providing various selectable chisel positions, Drills up to 26/30/13 mm diameter concrete/wood/metal, weighing only 3.0 kg, Flat chisel (2 609 255 570), Depth stop (2 603 001 019), Auxiliary handle (2 602 025 125), Plastic case

Article ID: 0603393000

**PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.