



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER PBH 3000-2 FRE

SKU: 3165140435147

Rotary Hammer PBH 3000-2 FRE

**Categories:** [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Power input: 750 W  
No-load speed, 1st gear, from: 0 rpm  
No-load speed, 1st gear, up to: 1.450 rpm  
No-load speed, 2nd gear, up to: 3.000 rpm  
No-load speed (1st gear / 2nd gear): 0 - 1,450 / 3,000 rpm  
Impact rate, from: 0 bpm  
Impact rate, up to: 4.000 bpm  
Impact rate: 0 - 4,000 bpm  
Single impact force (EPTA): 2,8 J  
Bosch hammer mechanism: pneumatic  
Max. drilling diameter in concrete: 26 mm  
Max. drilling diameter in steel: 13 mm  
Max. drilling diameter in wood: 30 mm  
With core cutters in masonry: 68 mm  
Pneumatic hammer mechanism: no  
Rotation Stop: yes  
Speed preselection: yes  
2-speed gearbox: yes  
4 m cable: yes  
Bosch Electronic: yes  
Chisel function: yes  
Right-hand/left-hand rotation: yes  
Bosch SDS plus: yes  
Softgrip: yes  
Application: screwdriving / drill. / hammer drill.: yes  
Bosch SDS quick-change chuck: yes  
Vibration emission value ah [Hammer drilling in concrete]: 16,0 m/s<sup>2</sup>  
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Chiselling]: 14,0



m/s<sup>2</sup>

Uncertainty K [Chiselling]: 1,5 m/s<sup>2</sup>

Voltage: 230 V

Tool dimensions (L x W x H): 471 x 370 x 131 mm

Weight: 3,3 kg

Packaging dimensions (length): 471 mm

Packaging dimensions (width): 370 mm

Packaging dimensions (height): 131 mm

Packaging dimensions (L x W x H): 471 x 370 x 131 mm

Product short description: The ultimate power and versatility for the toughest jobs

TOP product characteristics: 750 W motor and 2.8 j pneumatic hammer mechanism for the toughest applications

TOP product characteristics: Two-speed gearbox and overload clutch

TOP product characteristics: Hammer and chisel in concrete and masonry or drill in tile, wood, and metal

TOP product characteristics: Chisel function with Vario Lock providing various selectable chisel positions

TOP product characteristics: Drills up to 26/30/13 mm diameter in concrete/wood/metal, weighing only 3.3 kg

Product category subdivision: Rotary Hammer

Usage level: Advanced

Standard of comparison: Rotary Hammer

Title: Rotary Hammer PBH 3000-2 FRE

Scope of supply: Bosch SDS adapter chuck (1 608 572 032)

Scope of supply: Flat chisel (2 609 255 570)

Scope of supply: Depth stop (2 603 001 019)

Scope of supply: Auxiliary handle (2 602 025 102)

Scope of supply: Plastic case

SOL Date: 29.05.2007

Novelty: no

Scope of delivery:

1 ST Rotary Hammer PBH 3000-2 FRE |



## PRODUCT DESCRIPTION

Rotary Hammer PBH 3000-2 FRE, The ultimate power and versatility for the toughest jobs, 750 W motor and 2.8 j pneumatic hammer mechanism for the toughest applications, Two-speed gearbox and overload clutch, Hammer and chisel in concrete and masonry or drill in tile, wood, and metal, Chisel function with Vario Lock providing various selectable chisel positions, Drills up to 26/30/13 mm diameter in concrete/wood/metal, weighing only 3.3 kg, Bosch SDS adapter chuck (1 608 572 032), Flat chisel (2 609 255 570), Depth stop (2 603 001 019), Auxiliary handle (2 602 025 102), Plastic case

Article ID: 0603394200

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.