Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER PBH 3000-2 FRE

SKU: 3165140435147

Rotary Hammer PBH 3000-2 FRE

Categories: BOSCH Power tools DIY and gardening, Drills and screwdrivers

Product Features: Power input: 750 W
No-load speed, 1st gear, from: 0 rpm
No-load speed, 1st gear, up to: 1.450 rpm
No-load speed, 2nd gear, up to: 3.000 rpm
No-load speed (1st gear / 2nd gear): 0 - 1,450 / 3,000 rpm
Impact rate, from: 0 bpm
Impact rate, up to: 4.000 bpm
Impact rate: 0 - 4,000 bpm
Single impact force (EPTA): 2,8 J
Bosch hammer mechanism: pneumatic
Max. drilling diameter in concrete: 26 mm
Max. drilling diameter in steel: 13 mm
Max. drilling diameter in wood: 30 mm
With core cutters in masonry: 68 mm
Pneumatic hammer mechanism: no
Rotation Stop: yes
Speed preselection: yes
2-speed gearbox: yes
4 m cable: yes
Bosch Electronic: yes
Chisel function: yes
Right-hand/left-hand rotation: yes
Bosch SDS plus: yes
Softgrip: yes
Application: screwdriving / drill. / hammer drill.: yes
Bosch SDS quick-change chuck: yes
Vibration emission value ah [Hammer drilling in concrete]: 16,0 m/s²
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s²
Vibration emission value ah [Chiselling]: 14,0

Copyright © 2023 Actik Tools All rights reserved

m/s²
Uncertainty K [Chiselling]: 1,5 m/s²
Voltage: 230 V
Tool dimensions (L x W x H): 471 x 370 x 131 mm
Weight: 3,3 kg
Packaging dimensions (length): 471 mm
Packaging dimensions (width): 370 mm
Packaging dimensions (height): 131 mm
Packaging dimensions (L x W x H): 471 x 370 x 131 mm
Product short description: The ultimate power and versatility for the toughest jobs
TOP product characteristics: 750 W motor and 2.8 j pneumatic hammer mechanism for the toughest applications
TOP product characteristics: Two-speed gearbox and overload clutch
TOP product characteristics: Hammer and chisel in concrete and masonry or drill in tile, wood, and metal
TOP product characteristics: Chisel function with Vario Lock providing various selectable chisel positions
TOP product characteristics: Drills up to 26/30/13 mm diameter in concrete/wood/metal, weighing only 3.3 kg
Product category subdivision: Rotary Hammer
Usage level: Advanced
Standard of comparison: Rotary Hammer
Title: Rotary Hammer PBH 3000-2 FRE
Scope of supply: Bosch SDS adapter chuck (1 608 572 032)
Scope of supply: Flat chisel (2 609 255 570)
Scope of supply: Depth stop (2 603 001 019)
Scope of supply: Auxiliary handle (2 602 025 102)
Scope of supply: Plastic case
SOL Date: 29.05.2007
Novelty: no

Scope of delivery:
1 ST Rotary Hammer PBH 3000-2 FRE |

Copyright © 2023 Actik Tools All rights reserved

PRODUCT DESCRIPTION

Rotary Hammer PBH 3000-2 FRE, The ultimate power and versatility for the toughest jobs, 750 W motor and 2.8 j pneumatic hammer mechanism for the toughest applications, Two-speed gearbox and overload clutch, Hammer and chisel in concrete and masonry or drill in tile, wood, and metal, Chisel function with Vario Lock providing various selectable chisel positions, Drills up to 26/30/13 mm diameter in concrete/wood/metal, weighing only 3.3 kg, Bosch SDS adapter chuck (1 608 572 032), Flat chisel (2 609 255 570), Depth stop (2 603 001 019), Auxiliary handle (2 602 025 102), Plastic case

Article ID: 0603394200

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved