



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER PBH 3000 FRE

SKU: 3165140430265

Rotary Hammer PBH 3000 FRE

Categories: [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

Product Features: Power input: 750 W
No-load speed, from: 0 rpm
No-load speed, up to: 1.450 rpm
No-load speed: 0 - 1,450 rpm
Impact rate, from: 0 bpm
Impact rate, up to: 4.000 bpm
Impact rate: 0 - 4,000 bpm
Single impact force (EPTA): 2,8 J
Bosch hammer mechanism: pneumatic
Max. drilling diameter in concrete: 26 mm
Max. drilling diameter in steel: 13 mm
Max. drilling diameter in wood: 30 mm
With core cutters in masonry: 68 mm
Weight: 3,0 kg
Pneumatic hammer mechanism: no
Rotation Stop: yes
Speed preselection: yes
2-speed gearbox: no
4 m cable: no
Bosch Electronic: yes
Chisel function: yes
Right-hand/left-hand rotation: yes
Bosch SDS plus: yes
Softgrip: yes
Application: screwdriving / drill. / hammer drill.: yes
Bosch SDS quick-change chuck: no
Vibration emission value ah [Hammer drilling in concrete]: 16,0 m/s²
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s²
Vibration emission value ah [Chiselling]: 14,0 m/s²



Uncertainty K [Chiselling]: 1,5 m/s²
Voltage: 230 V
Tool dimensions (L x W x H): 469 x 380 x 126 mm
Packaging dimensions (length): 469 mm
Packaging dimensions (width): 380 mm
Packaging dimensions (height): 126 mm
Packaging dimensions (L x W x H): 469 x 380 x 126 mm
Product short description: Ultimate power and versatility for the toughest jobs
TOP product characteristics: 750 W motor and 2.8 j pneumatic hammer mechanism for the toughest applications
TOP product characteristics: Overload clutch for user and tool protection
TOP product characteristics: Hammering and chiselling in concrete and masonry; drilling in tile, wood, and metal
TOP product characteristics: Chisel function with Vario Lock for various selectable chisel positions
TOP product characteristics: Lightweight at only 3.3 kg; drilling of up to Ø 26/30/13 mm in concrete/wood/metal
Product category subdivision: Rotary Hammer
Usage level: Advanced
Standard of comparison: Rotary Hammer
Title: Rotary Hammer PBH 3000 FRE
Scope of supply: Bosch SDS adapter chuck (1 618 571 033)
Scope of supply: Flat chisel (2 609 255 570)
Scope of supply: Depth stop (2 603 001 019)
Scope of supply: Auxiliary handle (2 602 025 102)
Scope of supply: 4-piece drill bit set: SDS-Drill 5/6/8/10 mm
Scope of supply: Plastic case
SOL Date: 29.05.2007
Novelty: no

Scope of delivery:
1 ST Rotary Hammer PBH 3000 FRE |



PRODUCT DESCRIPTION

Rotary Hammer PBH 3000 FRE, Ultimate power and versatility for the toughest jobs, 750 W motor and 2.8 j pneumatic hammer mechanism for the toughest applications, Overload clutch for user and tool protection, Hammering and chiselling in concrete and masonry; drilling in tile, wood, and metal, Chisel function with Vario Lock for various selectable chisel positions, Lightweight at only 3.3 kg; drilling of up to Ø 26/30/13 mm in concrete/wood/metal, Bosch SDS adapter chuck (1 618 571 033), Flat chisel (2 609 255 570), Depth stop (2 603 001 019), Auxiliary handle (2 602 025 102), 4-piece drill bit set: SDS-Drill 5/6/8/10 mm, Plastic case

Article ID: 0603393200

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.