



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ROTARY HAMMER WITH SDS PLUS GBH 2-21

SKU: 4059952569642

Rotary Hammer with SDS plus GBH 2-21

Categories: [BOSCH professional](#), [Drill & percussion hammers](#)

Product Features: Packaging dimensions (width): 360 mm

Packaging dimensions (length): 397 mm

Packaging dimensions (height): 115 mm

Packaging dimensions (width x length x height): 360 x 397 x 115 mm

Rated input power: 720 W

Impact energy (according to EPTA 05/2016): 2 J

Impact rate at rated speed, from: 0 bpm

Impact rate at rated speed, up to: 4.800 bpm

Impact rate at rated speed: 0 - 4,800 bpm

Weight: 2,3 kg

Tool dimensions (width): 88 mm

Tool dimensions (length): 334 mm

Tool dimensions (height): 205 mm

Tool holder: SDS plus

Drilling dia. concrete, hammer drill bits, from: 4 mm

Drilling dia. concrete, hammer drill bits, up to: 21 mm

Drilling dia. concrete, hammer drill bits: 4 - 21 mm

Rec. appl. range concrete, hammer drill bits, from: 4 mm

Rec. appl. range concrete, hammer drill bits, to: 10 mm

Opt. appl. range concrete, hammer drill bits: 4 - 10 mm

Max. drilling diameter in metal: 13 mm

Max. drilling diameter in wood: 30 mm

Max. drilling diameter concrete: 21 mm



Product category subdivision: Rotary Hammer with SDS plus

Positioning: So small, so strong - the compact and powerful entry-level rotary hammer

User benefit incl. Reason to believe: Powerful 720 W motor and 2.0 J of impact energy for effective hammer drilling in concrete (up to 21-mm diameter)

User benefit incl. Reason to believe: Compact rotary hammer offers professional Bosch hammer drilling performance within reach

User benefit incl. Reason to believe: Three-mode rotary hammer for hammer drilling, drilling, and chiselling ensures versatility and convincing results

Positioning (BE): So compact, so powerful - Bosch's rotary hammer now within reach

User benefit incl. Reason to believe (BE): Powerful 720 W motor and 2.0 J of impact energy for effective hammer drilling in concrete (up to 22-mm diameter)

User benefit incl. Reason to believe (BE): Three-mode rotary hammer for hammer drilling, drilling, and chiselling - ensuring versatility and convincing results

User benefit incl. Reason to believe (BE): Compact rotary hammer offers professional Bosch hammer performance within reach

Title: Rotary Hammer with SDS plus GBH 2-21 Professional

Novelty: no

Scope of supply: Carrying case (1 619 P10 938)

Scope of supply: 1 x drill bit, SDS plus, 6 mm (2 608 680 263)

Scope of supply: 1 x drill bit SDS plus, 8 mm (2 608 680 270)

Scope of supply: 1 x drill bit SDS plus, 10 mm (2 608 680 273)

Scope of supply: Auxiliary handle (1 619 P16 286)

Scope of supply: Machine cloth (spare part number: 1 619 200 413)

Scope of supply: Depth gauge (2 603 001 009)
SOL Date: 01.01.2021

Scope of delivery:



1 ST Rotary Hammer with SDS plus GBH 2-21
|

PRODUCT DESCRIPTION

Rotary Hammer with SDS plus GBH 2-21, Bosch's GBH 2-21 Professional rotary hammer with SDS-plus technology is the ideal compact entry-level solution for powerful hammer drilling. Its powerful 720 W motor and 2.0 J of impact energy make for effective hammer drilling in concrete of up to 21 mm in diameter. This compact rotary hammer offers professional Bosch hammer drilling performance within reach. Versatility and convincing results are safeguarded by the three-mode rotary hammer for hammer drilling, drilling, and chiselling. This rotary hammer is perfect for use in concrete, stone, and masonry. It is compatible with the following dust attachments for external vacuum cleaners: GDE 16 plus, GDE 68, and GDE 162. Carrying case (1 619 P10 938); 1 x drill bit, SDS plus, 6 mm (2 608 680 263); 1 x drill bit SDS plus, 8 mm (2 608 680 270); 1 x drill bit SDS plus, 10 mm (2 608 680 273); Auxiliary handle (1 619 P16 286); Machine cloth (spare part number: 1 619 200 413); Depth gauge (2 603 001 009)

Article ID: 06112A6002

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.