Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ROTATION LASER GRL 300 HVG

SKU: 3165140583145

Rotation Laser GRL 300 HVG

Categories: BOSCH professional, Measuring equipment

Product Features: Laser diode: 532 nm, < 5 mW
Operating temperature, from: 0 °C
Operating temperature, up to: 40 °C
Operating temperature: 0 - 40 °C
Storage temperature, from: -20 °C
Storage temperature, up to: 70 °C
Storage temperature: -20 - 70 °C
Laser class: 3R
Working range, value: 100 m
Working range: 100 m
Working range with receiver, value: 300 m
Working range with receiver, appendage: (Diameter)
Working range with receiver: 300 m (Diameter)
Working range without receiver, value: 100 m
Working range without receiver, appendage: (Diameter)
Working range without receiver: 100 m (Diameter)
Accuracy: ± 3.0 mm at 30 m* (*plus use-dependent deviation)
Self-levelling range: ± 5° (8%)
Levelling time: 15 s
Dust and splash protection: IP 54
Rotation speed: 150, 300, 600 rpm
Power supply: 2 x 1.5 V LR20 (D)
Tripod thread: 5/8"
Weight, approx.: 1,8 kg
Colour of laser line: green
Compatible laser receivers: LR 1G
Product category subdivision: Rotation Laser

Copyright © 2023 Actik Tools All rights reserved

Positioning: Outstanding visibility for indoor applications
User benefit incl. Reason to believe: Green laser line: up to four times better visibility than a red line
User benefit incl. Reason to believe: Easy to set up in both the horizontal and vertical modes due to automatic self-levelling of 8% (± 5°)
User benefit incl. Reason to believe: The shock warning function, which can be switched on and off, prevents levelling errors in the event of shocks or vibrations
Title: Rotation Laser GRL 300 HVG Professional
Novelty: no
Scope of supply: Battery compartment (spare part number 1 608 M00 05D)
Scope of supply: Carrying case (spare part number 1 608 M00 05F)
Scope of supply: Remote control RC1 Professional (0 601 069 900)
Scope of supply: Universal mount WM 4 Professional (0 601 092 400)
Scope of supply: 2 x 1.5 V LR20 battery (D)
Scope of supply: 1 x 1.5 V LR6 battery (AA)
SOL Date: 01.04.2011

Scope of delivery:
1 ST Rotation Laser GRL 300 HVG |

PRODUCT DESCRIPTION

Rotation Laser GRL 300 HVG, Outstanding visibility for indoor applications, Green laser line: up to four times better visibility than a red line, Easy to set up in both the horizontal and vertical modes due to automatic self-levelling of 8% (± 5°), The shock warning function, which can be switched on and off, prevents levelling errors in the event of shocks or vibrations, Battery compartment (spare part number 1 608 M00 05D); Carrying case (spare part number 1 608 M00 05F); Remote control RC1 Professional (0 601 069 900); Universal mount WM 4 Professional (0 601 092 400); 2 x 1.5 V LR20 battery (D); 1 x 1.5 V LR6 battery (AA)

Article ID: 0601061700

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you

Copyright © 2023 Actik Tools All rights reserved

verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved