



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH SLANTING HOLE COUNTERSINK BIT. FOR ROTARY DRILLS/DRIVERS

**SKU:** 3165140107280

Slanting hole countersink bit. For rotary drills/drivers

---

**Categories:** [Accessories for BOSCH professional](#), [Drilling](#)

**Product Features:** Step height: 10-15  
Total length mm: 65  
Shank diameter inch: 1/4  
Shank diameter mm: 10  
Benefit HL (short): Free of Chattering and Burring  
Performance Claim Text: Chattering- and Burr-free  
(Version) Key RTB: The slanting hole prevents chips from clogging the workpiece and is optimised for chip removal and clean countersinking  
Specific RTB1: Made of HSS with a 5% cobalt alloy for best surface quality  
Specific RTB3: Countersink angle of 90 degrees, drills best at low cutting speeds  
Material: Steel  
Material: Stainless steel  
Material: Metal pipes and profiles  
Material: Non-ferrous metals  
Material: Aluminium  
Material: Plastics  
Material: Metal sandwich  
SOL Date: 19.07.2002  
Novelty: no

Scope of delivery:  
1 ST Slanting hole countersink bit. For rotary drills/drivers |





## PRODUCT DESCRIPTION

The HSS Slanting Hole Countersink Bit continuously works free of chattering and without leaving burrs. Its slanting hole prevents chips from clogging the workpiece and is optimised for chip removal and clean countersinking. The bit is made of HSS (high-speed steel) with a 5% cobalt alloy for best surface quality. This product is suitable for countersinking screws and deburring holes in metal. Use when drilling in non-ferrous metals, alloyed and non-alloyed steel, cast iron and stainless steel. The bit has a countersink angle of 90 degrees and drills best at low cutting speeds.

Article ID: 2608597513

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.