



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH SLIDING MITRE SAW GCM 12 SDE

SKU: 3165140769648

Sliding Mitre Saw GCM 12 SDE



Categories: [BOSCH professional](#), [Stationary tools & tables](#)

Product Features: Voltage, from: 220 V
Voltage, up to: 240 V
Voltage: 220 - 240 V
Packaging dimensions (width): 615 mm
Packaging dimensions (length): 870 mm
Packaging dimensions (height): 568 mm
Packaging dimensions (width x length x height): 615 x 870 x 568 mm
Saw blade diameter: 305 mm
Saw blade bore diameter: 30 mm
Rated input power: 1.800 W
Cutting capacity at 0°, height: 85 mm
Cutting capacity at 0°, width: 370 mm
Cutting capacity, 0°: 85 x 370 mm
Cutt. cap. 0° w/ spacer (max. vertical), height: 120 mm
Cutt. cap. 0° w/ spacer (max. vertical), width: 200 mm
Cutting capacity 0° with spacer (max. vertical): 120 x 200 mm
Cutt. cap. 0° w/ spacer (max. horizontal), height: 70 mm
Cutt. cap. 0° w/ spacer (max. horizontal), width: 400 mm
Cutting capacity 0° with spacer (max. horizontal): 70 x 400 mm
Cutting capacity at 45° mitre, height: 85 mm
Cutting capacity at 45° mitre, width: 250 mm
Cutting capacity, 45° mitre: 85 x 250 mm
Cutting capacity at 45° bevel, height: 60 mm
Cutting capacity at 45° bevel, width: 360 mm
Cutting capacity, 45° bevel: 60 x 360 mm
Mitre setting, left: 52 °



Mitre setting, right: 60 °
Mitre setting: 52 ° L / 60 ° R
Bevel setting, left: 47 °
Bevel setting, right: 47 °
Bevel setting: 47 ° L / 47 ° R
Tool dimensions (width): 600 mm
Tool dimensions (length): 860 mm
Tool dimensions (height): 530 mm
Tool dimensions (width x length x height):
600 x860 x530 mm
No-load speed, from: 3.100 rpm
No-load speed, up to: 4.000 rpm
No-load speed: 3,100 - 4,000 rpm
Weight: 28,6 kg
Vibration emission value ah [Sawing wood]:
2,5 m/s²
Uncertainty K [Sawing wood]: 1,5 m/s²
Product category subdivision: Sliding Mitre
Saw
Positioning: High cutting capacity and
variable speed for various applications
User benefit incl. Reason to believe:
Extremely high cutting capacity 120 mm
vertical and 400 mm horizontal enables cuts
in very large workpieces
User benefit incl. Reason to believe: Variable
cutting speed ensures high versatility in
various materials
User benefit incl. Reason to believe: Fast,
tool-free saw blade change ensures easy and
convenient handling
Positioning (BE): High cutting capacity and
variable speed for a wide variety of
applications
User benefit incl. Reason to believe (BE):
Vertical cutting capacity of 120 mm
User benefit incl. Reason to believe (BE):
Variable speed for adapting the cutting speed
to the material
User benefit incl. Reason to believe (BE): SDS
saw blade changes
Title: Sliding Mitre Saw GCM 12 SDE
Professional
Novelty: no
Scope of supply: 1 x circular saw blade,
Expert for Wood, 305 x 30 x 2.4 mm, 72 (2
608 642 531)
SOL Date: 30.11.2020



Scope of delivery:

1 ST Sliding Mitre Saw GCM 12 SDE |

PRODUCT DESCRIPTION

Sliding Mitre Saw GCM 12 SDE, Make light work of large workpieces with th GCM 12 SDE Professional. Its extremely high cutting capacity of 120 mm vertical and 400 mm horizontal enables cuts in very large and bulky objects. The mitre saw ´ s variable cutting speed makes the GCM 12 SDE Professional highly versatile for use in various materials. For highest convenience, it ensures quick and tool-less saw blade changes. This mitre saw is intended for cross, mitre, bevel, and groove cuts in wood, timber beams, and wood composites as well as board materials, floor panels, aluminium, and plastic. It is compatible with the Bosch Click & Clean dust extraction system as well as various stands. The GCM 12 SDE Professional also includes features such as bevel detent turrent, intelligent brake system, precision laser, soft start, and speed selection. 1 x circular saw blade, Expert for Wood, 305 x 30 x 2.4 mm, 72 (2 608 642 531)

Article ID: 0601B23100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.