Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH STRAIGHT GRINDER GGS 18 H

SKU: 3165140842969

Straight Grinder GGS 18 H

Categories: Angle grinder & metalworking, BOSCH professional

Product Features: Packaging dimensions (width): 149 mm
Packaging dimensions (length): 749 mm
Packaging dimensions (height): 118 mm
Packaging dimensions (width x length x height): 149 x 749 x 118 mm
Voltage, electrical: 230 V
No-load speed, from: 18.000 rpm
No-load speed: 18,000 rpm
Rated input power: 1.050 W
Spindle collar diameter: 43 mm
Weight: 3,0 kg
Tool dimensions (width): 86 mm
Tool dimensions (length): 540 mm
Tool dimensions (height): 90 mm
Max. grinding tool diameter: 50 mm
Tools: Grinding stones for min. 45 m/s up to 50 mm diameter x width
Tool holder: Collet
Power output: 500 W
Max. collet diameter: 10 mm
Switch: Lockable Switch
Vibration emission value ah [Surface grinding up to diameter of 50]: 7,5 m/s²
Uncertainty K [Surface grinding up to diameter of 50]: 1,5 m/s²
Product category subdivision: Straight Grinder
Positioning: Most powerful tool with collet clamping in Bosch's straight grinders category
Long version part 1: The GGS 18 H
Professional corded straight grinder with

Copyright © 2023 Actik Tools All rights reserved

collet clamping offers the most powerful performance in its category. Its strong 1,050 W motor and soft start feature ensure fast work progress. A special collet clamping makes it suitable for all grinding accessories with a shank diameter of 6, 8, 10 mm and 1/4''. This tool is intended for grinding metal.
Long version part 2: The GGS 18 H Professional also includes features such as direct motor cooling.
User benefit incl. Reason to believe: Strong 1,050 W motor and soft start feature ensure fast work progress
User benefit incl. Reason to believe: Special collet clamping makes it suitable for grinding accessories with a shank diameter of 6, 8, 10 mm and 1/4''
Positioning (BE): The most powerful model from Bosch with collet clamping
Long version part 1 (BE): The GGS 18 H Professional corded straight grinder with collet clamping offers the most powerful performance in its category. Its strong 1,050 W motor and soft start feature ensure fast work progress. A special collet clamping makes it suitable for all grinding accessories with a shank diameter of 6, 8, 10 mm and 1/4''. Additionally, its restart protection feature increases user protection during operation. This tool is intended for grinding metal.
Long version part 2 (BE): The GGS 18 H Professional also includes features such as direct motor cooling.
User benefit incl. Reason to believe (BE): Powerful 1.050 watt motor
User benefit incl. Reason to believe (BE): Suitable for all grinding accessories with shank diameter of 6, 8, 10 mm and 1/4"
User benefit incl. Reason to believe (BE): Particularly precise true running due to collet clamping
Areas of application: Sanding ferrous metals
Title: Straight Grinder GGS 18 H Professional
Novelty: no
Novelty until: 01.04.2016
Scope of supply: Collet with clamping nut 8 mm (1 608 570 041)

Copyright © 2023 Actik Tools All rights reserved

Scope of supply: Open-ended spanner KW 14 (1 607 950 511)
Scope of supply: Open-ended spanner KW 22 (spare part number 1 607 950 505)
SOL Date: 01.01.2016

Scope of delivery:
1 ST Straight Grinder GGS 18 H |

PRODUCT DESCRIPTION

Straight Grinder GGS 18 H, The GGS 18 H Professional corded straight grinder with collet clamping offers the most powerful performance in its category. Its strong 1,050 W motor and soft start feature ensure fast work progress. A special collet clamping makes it suitable for all grinding accessories with a shank diameter of 6, 8, 10 mm and 1/4''. This tool is intended for grinding metal. The GGS 18 H Professional also includes features such as direct motor cooling. Collet with clamping nut 8 mm (1 608 570 041); Open-ended spanner KW 14 (1 607 950 511); Open-ended spanner KW 22 (spare part number 1 607 950 505)

Article ID: 0601209200

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved