



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH STRAIGHT GRINDER GGS 28 CE

**SKU:** 3165140584814

Straight Grinder GGS 28 CE



**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Packaging dimensions  
(width): 160 mm

Packaging dimensions (length): 420 mm

Packaging dimensions (height): 126 mm

Packaging dimensions (width x length x  
height): 160 x 420 x 126 mm

Voltage, electrical: 230 V

No-load speed, from: 10.000 rpm

No-load speed, up to: 30.000 rpm

No-load speed: 10,000 - 30,000 rpm

Rated input power: 650 W

Spindle collar diameter: 43 mm

Weight: 1,4 kg

Tool dimensions (width): 154 mm

Tool dimensions (length): 460 mm

Tool dimensions (height): 108 mm

Max. grinding tool diameter: 50 mm

Power output: 380 W

Max. collet diameter: 8 mm

Spanner size of locking nut: 19 mm

Spanner size of grinding spindle: 19 mm

Switch: Lockable Switch

Vibration emission value ah [Surface grinding  
up to diameter of 25]: 3,0 m/s<sup>2</sup>

Uncertainty K [Surface grinding up to  
diameter of 25]: 1,5 m/s<sup>2</sup>

Vibration emission value ah [Surface grinding  
up to diameter of 50]: 8,0 m/s<sup>2</sup>

Uncertainty K [Surface grinding up to  
diameter of 50]: 1,5 m/s<sup>2</sup>

Product category subdivision: Straight  
Grinder

Positioning: Handy for entry-level and



universal performance in the straight grinder category

Long version part 1: The GGS 28 CE

Professional corded straight grinder is handy for entry-level performance and universal grinding in the straight grinder category. Its speed selection capabilities, combined with a compact and ergonomic shape, enable versatile work. The machine's 650 W motor with soft start enables fast work progress. Additionally, user protection is increased due to its KickBack Control feature. This tool is intended for grinding metal.

Long version part 2: The GGS 28 CE

Professional also includes features such as constant speed, direct motor cooling, and overload protection.

User benefit incl. Reason to believe: Speed selection capabilities, combined with compact and ergonomic shape, enable versatile work

User benefit incl. Reason to believe: 650 W motor with soft start enables fast work progress

User benefit incl. Reason to believe: Increased user protection due to KickBack Control feature

Positioning (BE): The handy tool for universal grinding working

User benefit incl. Reason to believe (BE): Compact, ergonomic shape for versatile grinding work

User benefit incl. Reason to believe (BE): Powerful 600 W motor with soft start for fast work progress

User benefit incl. Reason to believe (BE): KickBack Control: Detects when the tool is jammed and shuts it down immediately

Areas of application: Sanding ferrous metals

Title: Straight Grinder GGS 28 CE Professional

Novelty: no

Scope of supply: 2 x open-ended spanners

WAF 19 (spare part number 3 607 950 024)

Scope of supply: Collet with locking nut 6 mm (2 608 570 137)

SOL Date: 01.02.2011



Scope of delivery:  
1 ST Straight Grinder GGS 28 CE |

## PRODUCT DESCRIPTION

Straight Grinder GGS 28 CE, The GGS 28 CE Professional corded straight grinder is handy for entry-level performance and universal grinding in the straight grinder category. Its speed selection capabilities, combined with a compact and ergonomic shape, enable versatile work. The machine's 650 W motor with soft start enables fast work progress. Additionally, user protection is increased due to its KickBack Control feature. This tool is intended for grinding metal. The GGS 28 CE Professional also includes features such as constant speed, direct motor cooling, and overload protection. 2 x open-ended spanners WAF 19 (spare part number 3 607 950 024); Collet with locking nut 6 mm (2 608 570 137)

Article ID: 0601220100

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.