



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH STRAIGHT GRINDER GGS 8 CE

SKU: 3165140584852

Straight Grinder GGS 8 CE



Categories: [Angle grinder & metalworking](#), [BOSCH professional](#)

Product Features: Tool dimensions (height): 77 mm
Packaging dimensions (width): 155 mm
Packaging dimensions (length): 500 mm
Packaging dimensions (height): 110 mm
Packaging dimensions (width x length x height): 155 x 500 x 110 mm
Voltage, electrical: 230 V
No-load speed, from: 2.500 rpm
No-load speed, up to: 8.000 rpm
No-load speed: 2,500 - 8,000 rpm
Rated input power: 750 W
Spindle collar diameter: 43 mm
Weight: 1,7 kg
Tool dimensions (width): 387 mm
Tool dimensions (length): 77 mm
Max. grinding tool diameter: 50 mm
Power output: 420 W
Max. collet diameter: 8 mm
Spanner size of locking nut: 19 mm
Spanner size of grinding spindle: 13 mm
Max. polishing tool diameter: 80 mm
Switch: Lockable Switch
Vibration emission value ah [Surface grinding up to diameter of 25]: 2,5 m/s²
Uncertainty K [Surface grinding up to diameter of 25]: 1,5 m/s²
Vibration emission value ah [Surface grinding up to diameter of 50]: 2,5 m/s²
Uncertainty K [Surface grinding up to diameter of 50]: 2,5 m/s²
Product category subdivision: Straight Grinder



Positioning: Unique for powerful surface grinding in the straight grinder category
Long version part 1: The GGS 8 CE
Professional corded straight grinder offers uniquely powerful surface grinding in the straight grinder category. Its 750 W motor with soft start facilitates fast work progress. High torque and a handy design make the grinder ideal for use on surfaces with flap wheels, brushes, and other accessories. User protection is increased due to its KickBack Control feature. This tool is intended for grinding metal.

Long version part 2: The GGS 8 CE
Professional also includes features such as constant speed, direct motor cooling, overload protection, and speed selection. User benefit incl. Reason to believe: 750 W motor with soft start facilitates fast work progress

User benefit incl. Reason to believe: High torque and handy design ideal for use on surfaces with flap wheels, brushes, and other accessories

User benefit incl. Reason to believe: Increased user protection due to KickBack Control feature

Positioning (BE): The powerful specialist for surfaces

User benefit incl. Reason to believe (BE): Powerful 750 watt motor for fast work progress with soft start

User benefit incl. Reason to believe (BE): Handy design and high torque - ideal for grinding surfaces with flap wheels, brushes, and other accessories

User benefit incl. Reason to believe (BE): KickBack Control: detects when the tool is jammed and shuts it down immediately - for a high level of user protection

Areas of application: Sanding ferrous metals
Title: Straight Grinder GGS 8 CE Professional
Novelty: no

Scope of supply: Spanner 13 mm (spare part number 3 607 950 025)

Scope of supply: Spanner 19 mm (spare part number 3 607 950 024)

Scope of supply: Collet with locking nut 6 mm



(2 608 570 137)
SOL Date: 03.06.2011

Scope of delivery:
1 ST Straight Grinder GGS 8 CE |

PRODUCT DESCRIPTION

Straight Grinder GGS 8 CE, The GGS 8 CE Professional corded straight grinder offers uniquely powerful surface grinding in the straight grinder category. Its 750 W motor with soft start facilitates fast work progress. High torque and a handy design make the grinder ideal for use on surfaces with flap wheels, brushes, and other accessories. User protection is increased due to its KickBack Control feature. This tool is intended for grinding metal. The GGS 8 CE Professional also includes features such as constant speed, direct motor cooling, overload protection, and speed selection. Spanner 13 mm (spare part number 3 607 950 025); Spanner 19 mm (spare part number 3 607 950 024); Collet with locking nut 6 mm (2 608 570 137)

Article ID: 0601222100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.