



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH STRAIGHT GRINDER GGS 8 SH

**SKU:** 3165140842914

Straight Grinder GGS 8 SH



**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Packaging dimensions  
(width): 149 mm

Packaging dimensions (length): 747 mm

Packaging dimensions (height): 118 mm

Packaging dimensions (width x length x  
height): 149 x 747 x 118 mm

Voltage, electrical: 230 V

No-load speed, from: 8.000 rpm

No-load speed: 8,000 rpm

Rated input power: 1.200 W

Weight: 4,4 kg

Tool dimensions (width): 123 mm

Tool dimensions (length): 635 mm

Tool dimensions (height): 110 mm

Max. grinding tool diameter: 125 mm

Tools: Resin-bonded conical grinding discs for  
min. 45 m/s up to 125 mm diameter x 32/26  
knotted round brushes up to 125 mm  
diameter

Tool holder: Spindle

Power output: 700 W

Max. collet diameter: 20 mm

Switch: Lockable Switch

Vibration emission value  $a_h$  [Surface grinding  
up to diameter of 50]: 3,0 m/s<sup>2</sup>

Uncertainty K [Surface grinding up to  
diameter of 50]: 1,5 m/s<sup>2</sup>

Product category subdivision: Straight  
Grinder

Positioning: Most powerful tool with quick-  
locking nut in Bosch's straight grinders  
category

Long version part 1: The GGS 8 SH



Professional corded straight grinder with quick-locking nut offers the most powerful performance in its category. Its strong 1,200 W motor ensures fast work progress with a high material removal rate. The grinder's SDS quick-locking nut makes rapid tool-free accessory changing possible. Additionally, its restart protection functionality increases user protection during operation. This tool is intended for grinding metal.

Long version part 2: The GGS 8 SH

Professional also includes features such as direct motor cooling.

User benefit incl. Reason to believe: Strong 1,200 W motor ensures fast work progress with high material removal rate

User benefit incl. Reason to believe:

Grinder's SDS quick-locking nut makes rapid tool-free accessory changing possible

User benefit incl. Reason to believe: Restart protection functionality increases user protection during operation

Positioning (BE): The most powerful model from Bosch with quick-locking nut

User benefit incl. Reason to believe (BE):

Powerful 1200 watt motor for high material removal rate

User benefit incl. Reason to believe (BE): With SDS quick-locking nut for rapid disc changes without tools

User benefit incl. Reason to believe (BE):

Restart protection prevents automatic start-up after a power outage

Areas of application: Sanding ferrous metals

Title: Straight Grinder GGS 8 SH Professional

Novelty: no

Scope of supply: Hex key WAF 6 (spare part number 1 907 950 007)

Scope of supply: Clamping flange, diameter 65 mm (1 605 703 065)

Scope of supply: Holding pin (1 603 101 017)

Scope of supply: Protective guard (spare part number 3 605 510 014)

Scope of supply: Round nut (3 603 345 014)

Scope of supply: SDS quick-locking nut for conical discs (3 603 301 011)

Scope of supply: Two-hole spanner (1 607 950 061)



SOL Date: 01.01.2016

Scope of delivery:  
1 ST Straight Grinder GGS 8 SH |

## PRODUCT DESCRIPTION

Straight Grinder GGS 8 SH, The GGS 8 SH Professional corded straight grinder with quick-locking nut offers the most powerful performance in its category. Its strong 1,200 W motor ensures fast work progress with a high material removal rate. The grinder's SDS quick-locking nut makes rapid tool-free accessory changing possible. Additionally, its restart protection functionality increases user protection during operation. This tool is intended for grinding metal. The GGS 8 SH Professional also includes features such as direct motor cooling. Hex key WAF 6 (spare part number 1 907 950 007); Clamping flange, diameter 65 mm (1 605 703 065); Holding pin (1 603 101 017); Protective guard (spare part number 3 605 510 014); Round nut (3 603 345 014); SDS quick-locking nut for conical discs (3 603 301 011); Two-hole spanner (1 607 950 061)

Article ID: 0601214300

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.