




Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH TABLE SAW GTS 10 XC

SKU: 3165140509480

Table Saw GTS 10 XC



Categories: [BOSCH professional](#), [Stationary tools & tables](#)

Product Features: Packaging dimensions (width): 820 mm

Packaging dimensions (length): 840 mm

Packaging dimensions (height): 420 mm

Packaging dimensions (width x length x height): 820 x 840 x 420 mm

Rated input power: 2.000 W

No-load speed: 4.200 rpm

Saw blade diameter: 254 mm

Saw blade bore diameter: 30 mm

Weight: 35,0 kg

Table size, length: 640 mm

Table size, width: 705 mm

Table size: 640 x 705 mm

Tool dimensions (width): 771 mm

Tool dimensions (length): 783 mm

Tool dimensions (height): 343 mm

Tool dimensions (width x length x height): 771 x 783 x 343 mm

Incline setting, on the left: 47 °

Incline setting, on the right: 1 °

Incline setting: 47 ° L / 1 ° R

Max. cutting capacity on the right: 635 mm

Max. cutting capacity on the left: 250 mm

Product category subdivision: Table Saw

Positioning: Versatile performance table saw
User benefit incl. Reason to believe: Powerful motor and Constant Speed feature produce the best results even in toughest applications

User benefit incl. Reason to believe:
Integrated slide carriage, table-widener, and table extension enable expansion for workpieces in a variety of sizes



User benefit incl. Reason to believe: Tool-free lowering of riving knife enables quick adjustments for creating concealed cuts

Positioning (BE): The versatile tool with a powerful motor

User benefit incl. Reason to believe (BE): Powerful motor with motor brake, starting current limitation, overload protection and Constant Electronic for the toughest applications

User benefit incl. Reason to believe (BE): Versatile due to integrated slide carriage as well as table-widener and table extension

User benefit incl. Reason to believe (BE): Tool-free lowering of the riving knife for concealed cuts

Title: Table Saw GTS 10 XC Professional

Novelty: no

Scope of supply: Dust extraction adapter (2 610 015 509)

Scope of supply: Angle guide (2 610 015 508)

Scope of supply: Parallel guide (2 610 016 851)

Scope of supply: Push stick (2 610 015 022)

Scope of supply: Storage for additional saw blade

Scope of supply: 1 x circular saw blade, Optiline Wood, 254 x 2.8/1.8 x 30 mm, 24 (2 608 838 412)

SOL Date: 01.01.2017

Scope of delivery:

1 ST Table Saw GTS 10 XC |

PRODUCT DESCRIPTION

Table Saw GTS 10 XC, The GTS 10 XC Professional corded table saw delivers versatile performance and is ideal for use in workshops. An integrated slide carriage, table-widener, and table extension enable its expansion for accommodating variously sized workpieces. Furthermore, a tool-free lowering of its riving knife provides quick adjustments for creating concealed cuts. This tool is intended for cutting board materials to custom sizes, rip cutting, and concealed cuts in wood as well as wood composites, board materials, and laminate. It is compatible with table saw stands as well as the Bosch Click & Clean dust extraction system. The GTS 10 XC Professional also includes features such as double insulation, a motor brake, overload protection, Soft Start, and Spindle Lock. Dust extraction adapter (2 610 015 509); Angle guide (2 610 015 508); Parallel guide (2 610 016 851); Push stick (2 610 015 022); Storage for additional saw blade; 1 x circular saw blade, Optiline Wood, 254 x 2.8/1.8 x 30 mm, 24 (2 608 838 412)



Article ID: 0601B30400

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.