



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH TC TIPPED HINGE CUTTING BIT. FOR ROTARY DRILLS/DRIVERS

**SKU:** 3165140148252

TC tipped hinge cutting bit. For rotary drills/drivers

---

**Categories:** [Accessories for BOSCH professional](#), [Drilling](#)

**Product Features:** Diameter (D) mm: 28,00  
Total length (L2) mm: 90  
Shank diameter (d) mm: 8  
Benefit HL (short): Precise Holes in Abrasive Materials  
Performance Claim Text: Precise Holes (Version) Key RTB: Made of carbide with diamond-ground TC cutters give great results  
Specific RTB1: Centring tip provides exact drilling starts  
Specific RTB2: Two main cutters and two side cutters slice through material for highly accurate and splinter-free blind hole diameters  
Material: Softwood  
Material: Hardwood  
Material: Chipboard  
Material: Pressure treated lumber  
Material: Construction wood with mortar and nails  
Material: Medium density fibreboard  
Material: Multiplex board  
Product text, Accessories grey: Pack of 1  
SOL Date: 01.08.2009  
Novelty: no

Scope of delivery:  
1 ST TC tipped hinge cutting bit. For rotary drills/drivers |









## PRODUCT DESCRIPTION

The Carbide Hinge Cutting Bit produces very precise results in abrasive materials. Its special features make it ideal for use by joiners and carpenters, especially for window, door and kitchen building. Made of carbide with diamond-ground TC (tungsten carbide) cutters, the bit achieves best results. Furthermore, the centring tip provides exact drilling starts, and the two main and two side cutters slice through materials, achieving highly accurate and splinter-free blind hole diameters. It is suitable for use on abrasive materials such as hardwood, plywood, chipboard and wood fibreboard.

Article ID: 2608597609

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.