



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH UNIVERSAL HOLDER. FOR ROTARY DRILLS/DRIVERS

SKU: 3165140039000

Universal holder. For rotary drills/drivers

Categories: [Accessories for BOSCH professional](#), [Screwdriver bits and sockets](#)

Product Features: Drive end Inch: 1/4
Total length mm: 75
Diameter (D1) mm: 11
Shank: 1/4" external hexagon
Benefit HL (short): Slim Design for Easy Handling
Performance Claim Text: Slim Design
(Version) Key RTB: The slim design offers easy handling for various tasks
Specific RTB1: A permanent magnet ensures a firm and secure grip
Specific RTB2: Excellent for all fixing jobs requiring power tools
Material: Softwood
Material: Stainless steel
Material: Drywall
Material: Brick
Material: Fibre cement boards
Material: HPL High-pressure laminate
Material: Plastics
Product text, Accessories grey: Universal holder
Product text, Accessories grey: with permanent magnet and spring ring
Product text, Accessories grey: In conjunction with depth stop T8 (2 607 002 585) or depth stop T4 (2 607 000 156) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3
SOL Date: 18.07.2002
Novelty: no



Scope of delivery:

5 ST Universal holder. For rotary drills/drivers

|







PRODUCT DESCRIPTION

The Universal Holder Standard Magnetic is a good choice for universal screw-driving applications. Its slim design offers easy handling for various tasks. A permanent magnet ensures a firm and secure grip of the bits in use. The Universal Holder is excellent for all fixing jobs requiring power tools. It has a 1/4-inch external hex shank and is intended for use with screwdrivers, drill drivers and dry wall screwdrivers in conjunction with depth stops.

Article ID: 2607000157

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.