



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH  
V-GROOVE BIT, 6 MM, D1 9.5 MM, L  
12.35 MM, G 45 MM, 90°. FOR HAND-  
HELD ROUTERS**

**SKU:** 3165140374194

V-groove bit, 6 mm, D1 9.5 mm, L 12.35 mm,  
G 45 mm, 90°. For hand-held routers

---

**Categories:** [Accessories for BOSCH professional](#), [Cutters and planing knives](#)

**Product Features:** Shank mm: 6  
Angle degrees: 90  
Diameter (D) mm: 9,5  
Working length (L) mm: 12,4  
Total length (G) mm: 45  
Benefit HL (short): High Cutting Performance for Carving Fine Lettering  
Performance Claim Text: Carving Fine Lettering  
(Version) Key RTB: Durability and reliable cutting results are achieved by its high-quality tungsten carbide cutters  
Specific RTB1: Bit design prevents kickbacks by limiting the generated chip-thickness  
Specific RTB2: For carving thin decorative grooves, fine lettering and chamfering with a side fence in wood and wood composites  
Material: Hardwood  
Material: Particleboard  
Material: Medium density fibreboard  
Material: Plywood  
Material: Softwood  
SOL Date: 25.08.2004  
Novelty: no

Scope of delivery:  
1 ST V-groove bit, 6 mm, D1 9.5 mm, L 12.35 mm, G 45 mm, 90°. For hand-held routers |









## PRODUCT DESCRIPTION

The Standard for Wood V-Groove Bit delivers a high cutting performance when carving fine lettering. Durability and reliable cutting results are achieved by its high-quality tungsten carbide cutters. Moreover, the bit prevents kickbacks by limiting the thickness of the generated chips. It is intended for carving thin decorative grooves and fine lettering as well as chamfering with a side fence in soft and hard solid wood and wood composites.

Article ID: 2608628446

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.