



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH WET/DRY EXTRACTOR GAS 20 L SFC

SKU: 4059952628509

Wet/Dry Extractor GAS 20 L SFC

Categories: [BOSCH professional](#), [Extraction systems](#)

**Product Features:** Container volume, net, water: 7,5 l

Tool dimensions (width): 376 mm

Tool dimensions (length): 440 mm

Tool dimensions (height): 482 mm

Packaging dimensions (width): 401 mm

Packaging dimensions (length): 602 mm

Packaging dimensions (height): 400 mm

Packaging dimensions (width x length x height): 401 x 602 x 400 mm

Rated input power: 1.200 W

Max. input power: 1.200 W

Weight: 6,0 kg

Container volume, gross: 19 l

Container volume, net: 15 l

Dust bag volume, net: 6,7 l

Dust class of wet/dry extractor: L

Dust class: L

Filter surface area: 2.800 cm<sup>2</sup>

Max. airflow rate (turbine): 62 l/s

Max. vacuum pressure (turbine): 215 mbar

Product category subdivision: Wet/Dry Extractor

Positioning: The mobile wet/dry dust extractor with semi-automatic filter cleaning  
User benefit incl. Reason to believe: High suction force due to powerful 1200 watt suction turbine - for versatile applications in wet and dry operation

User benefit incl. Reason to believe: Easy filter cleaning due to semi-automatic filter cleaning system (SFC)

User benefit incl. Reason to believe: No



blowing function

Positioning (BE): The mobile wet/dry dust extractor with semi-automatic filter cleaning  
User benefit incl. Reason to believe (BE): High suction force due to powerful 1200 watt suction turbine - for versatile applications in wet and dry operation

User benefit incl. Reason to believe (BE): Easy filter cleaning due to semi-automatic filter cleaning system (SFC)

User benefit incl. Reason to believe (BE): No blowing function

Title: Wet/Dry Extractor GAS 20 L SFC Professional

Novelty: no

Scope of supply: Coarse dirt nozzle, 35 mm diameter (2 607 000 170)

Scope of supply: Crevice nozzle, 35 mm diameter (2 607 000 165)

Scope of supply: Dust extraction bag (2 605 411 231)

Scope of supply: 1 x pleated filter (2 607 432 024)

Scope of supply: Suction regulator control (2 607 002 630)

Scope of supply: Universal power tool adapter (2 607 002 632)

Scope of supply: 2 x dust extraction pipe length 0.5 m, diameter 35 mm (2 607 002 631)

Scope of supply: 3 m universal hose, 38 mm diameter (1 600 A00 0JF)

SOL Date: 04.08.2021

Scope of delivery:

1 ST Wet/Dry Extractor GAS 20 L SFC |

## PRODUCT DESCRIPTION

Wet/Dry Extractor GAS 20 L SFC, The mobile wet/dry dust extractor with semi-automatic filter cleaning, High suction force due to powerful 1200 watt suction turbine - for versatile applications in wet and dry operation, Easy filter cleaning due to semi-automatic filter cleaning system (SFC), No blowing function, Coarse dirt nozzle, 35 mm diameter (2 607 000 170); Crevice nozzle, 35 mm diameter (2 607 000 165); Dust extraction bag (2 605 411 231); 1 x pleated filter (2 607 432 024); Suction regulator control (2 607 002 630); Universal power tool adapter (2 607 002 632); 2 x dust extraction pipe length 0.5 m, diameter 35 mm (2 607 002 631); 3 m universal hose, 38 mm diameter (1 600 A00 0JF)



Article ID: 060197B100

**PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.