



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH WET/DRY EXTRACTOR GAS 35 L SFC+

SKU: 3165140705448

Wet/Dry Extractor GAS 35 L SFC+

Categories: [BOSCH professional](#), [Extraction systems](#)



**Product Features:** Container volume, net, water: 19,2 l

Packaging dimensions (width): 590 mm

Packaging dimensions (length): 740 mm

Packaging dimensions (height): 400 mm

Packaging dimensions (width x length x height): 590 x 740 x 400 mm

Voltage, electrical: 230 V

Rated input power: 1.200 W

Weight: 11,6 kg

Container volume, gross: 35 l

Container volume, net: 23 l

Dust class of wet/dry extractor: L

Dust class: L

Tool dimensions (width): 375 mm

Tool dimensions (length): 515 mm

Tool dimensions (height): 575 mm

Filter surface area: 6.150 cm<sup>2</sup>

Max. airflow rate (turbine): 74 l/s

Max. vacuum pressure (turbine): 254 mbar

Plug Type: Type F

Product category subdivision: Wet/Dry Extractor

Positioning: L-class wet/dry dust extractor with convenient semi-automatic filter cleaning

User benefit incl. Reason to believe: Semi-automatic filter cleaning (SFC+) system enables quick and easy one-handed filter cleaning

User benefit incl. Reason to believe: Certified L-class dust extractor in accordance to EU standards, for reliable user protection



User benefit incl. Reason to believe: Powerful 1,380 W suction turbine, with 254 mbars of high vacuum pressure, delivers the best extraction results

Positioning (BE): The mobile wet/dry dust extractor with most convenient semi-automatic filter cleaning

User benefit incl. Reason to believe (BE): L-BOXX can be clicked onto it to provide a practical transport and storage solution for mobile use

User benefit incl. Reason to believe (BE): The most convenient semi-automatic filter cleaning system (SFC+) which is operated with only one hand movement to enable rapid work progress

User benefit incl. Reason to believe (BE): Best extraction results due to powerful 1200 watt suction turbine with very high vacuum pressure of up to 254 mbar

Title: Wet/Dry Extractor GAS 35 L SFC+ Professional

Novelty: no

Scope of supply: 1 x cellulose flat-pleated filter (2 607 432 033)

Scope of supply: Crevice nozzle, 35 mm diameter (2 607 000 165)

Scope of supply: Disposal bag (2 607 432 043)

Scope of supply: Elbow (2 608 000 573)

Scope of supply: Floor nozzle set, 35 mm diameter (1 609 390 478)

Scope of supply: SFC+ module

Scope of supply: 3 m hose, 35 mm diameter, with power tool adapter (2 608 000 569)

Scope of supply: 3 x 0.35 m chrome-plated suction tube, 35 mm diameter (2 608 000 575)

SOL Date: 01.01.2017

Scope of delivery:

1 ST Wet/Dry Extractor GAS 35 L SFC+ |

## PRODUCT DESCRIPTION

Wet/Dry Extractor GAS 35 L SFC+, The GAS 35 L SFC+ Professional is Bosch's corded, L-class wet and dry dust extractor with a convenient semi-automatic filter cleaning (SFC+) system. This system enables quick



and easy onehanded filter cleaning for faster, uninterrupted work progress. It has an L-class dust extractor certification in accordance to EU standards, ensuring good user protection. It also features an extremely powerful 1,380 W suction turbine, providing 254 mbars of very high vacuum pressure for the best extraction results. This dust extractor is intended for wet and dry vacuuming. It is compatible with the Bosch Click & Clean System. An L-BOXX can be conveniently clicked onto the GAS 35 L SFC+ Professional to provide a practical transport solution for improved mobility. 1 x cellulose flat-pleated filter (2 607 432 033); Crevice nozzle, 35 mm diameter (2 607 000 165); Disposal bag (2 607 432 043); Elbow (2 608 000 573); Floor nozzle set, 35 mm diameter (1 609 390 478); SFC+ module; 3 m hose, 35 mm diameter, with power tool adapter (2 608 000 569); 3 x 0.35 m chrome-plated suction tube, 35 mm diameter (2 608 000 575)

Article ID: 06019C3000

#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.