



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH WET/DRY EXTRACTOR GAS 55 M AFC

SKU: 3165140705554

Wet/Dry Extractor GAS 55 M AFC



Categories: [BOSCH professional](#), [Extraction systems](#)

### Product Features:

Packaging dimensions (width): 600 mm

Packaging dimensions (length): 945 mm

Packaging dimensions (height): 400 mm

Packaging dimensions (width x length x height): 600 x 945 x 400 mm

Voltage, electrical: 230 V

Rated input power: 1.200 W

Weight: 16,2 kg

Container volume, gross: 55 l

Container volume, net: 43 l

Container volume, net, water: 40 l

Dust class of wet/dry extractor: M

Dust class: M

Tool dimensions (width): 375 mm

Tool dimensions (length): 570 mm

Tool dimensions (height): 865 mm

Filter surface area: 6.150 cm<sup>2</sup>

Max. airflow rate (turbine): 74 l/s

Max. vacuum pressure (turbine): 254 mbar

Plug Type: Type F

Product category subdivision: Wet/Dry Extractor

Positioning: Versatile wet/dry M-class dust extractor with automatic filter cleaning

User benefit incl. Reason to believe:

Automatic filter cleaning technology ensures consistent and powerful suction for a very fast work progress

User benefit incl. Reason to believe: Certified as M-class dust extractor in accordance to EU standards, for enhanced user protection

User benefit incl. Reason to believe: Powerful



1,380 W suction turbine, with 254 mbars of high vacuum pressure, delivers the best extraction results

Positioning (BE): The versatile wet/dry dust extractor with automatic filter cleaning and large tank volume

User benefit incl. Reason to believe (BE): Space-saving flat-pleated filter for optimum utilisation of the 55 litre tank - ideal for large amounts of dust

User benefit incl. Reason to believe (BE): Sustained suction power for continuous work progress due to automatic filter cleaning (AFC)

User benefit incl. Reason to believe (BE): Certified safety dust extractor that meets dust class M in accordance with the EU standard, covering the majority of types of dust to provide a high level of user protection

Title: Wet/Dry Extractor GAS 55 M AFC Professional

Novelty: no

Scope of supply: Crevice nozzle, 35 mm diameter (2 607 000 165)

Scope of supply: Disposal bag (2 607 432 043)

Scope of supply: Elbow (2 608 000 573)

Scope of supply: Floor nozzle set, 35 mm diameter (1 609 390 478)

Scope of supply: 1 x PES flat-pleated filter (2 607 432 034)

Scope of supply: 3 x 0.35 m chrome-plated suction tube, 35 mm diameter (2 608 000 575)

Scope of supply: 5 m hose, 35 mm diameter, antistatic, with power tool adapter (2 608 000 566)

SOL Date: 23.11.2018

Scope of delivery:

1 ST Wet/Dry Extractor GAS 55 M AFC |

## PRODUCT DESCRIPTION

Wet/Dry Extractor GAS 55 M AFC, The corded GAS 55 M AFC Professional with automatic filter cleaning is Bosch's versatile M-class dust extractor for wet and dry vacuuming. Its automatic filter cleaning technology ensures consistent and powerful suction for a very fast work progress. As a proof of



enhanced user protection, it is certified as an M-class dust extractor in accordance to EU standards. It also features an extremely powerful 1,380 W suction turbine, providing 254 mbars of very high vacuum pressure for the best extraction results. It comes with a 55-litre container and is compatible with the Bosch Click & Clean System. An L-BOXX can be conveniently clicked onto the GAS 55 M AFC Professional to provide a practical transport solution for improved mobility. Crevice nozzle, 35 mm diameter (2 607 000 165); Disposal bag (2 607 432 043); Elbow (2 608 000 573); Floor nozzle set, 35 mm diameter (1 609 390 478); 1 x PES flat-pleated filter (2 607 432 034); 3 x 0.35 m chrome-plated suction tube, 35 mm diameter (2 608 000 575); 5 m hose, 35 mm diameter, antistatic, with power tool adapter (2 608 000 566)

Article ID: 06019C3300

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.