



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH
X-LOCK BACKING PAD 125 MM
MEDIUM. FOR SMALL ANGLE
GRINDERS**

SKU: 3165140938518

X-LOCK Backing Pad 125 mm medium. For small angle grinders



Categories: [Accessories for BOSCH professional](#), [Machine accessories](#)

Product Features: Diameter mm: 125

Max. speed rpm: 12.250

X-LOCK: yes

Benefit HL (short): Ideal for Medium Grit Sanding (P80)

Performance Claim Text: Medium Grit Sanding (P80)

(Version) Key RTB: Rigid multi-rib construction maximises contact pressure between disc and workpiece, enabling fast work results

Specific RTB1: Ribs increase contact pressure and allow for a cooling air flow between disc and backing pad

Specific RTB2: Resists high temperatures and breakage due to reinforced thermostable plastic material

Product text, Accessories grey: X-LOCK Backing Pad Medium

Product text, Accessories grey: Ideal for medium grit sanding P36 to P60

Product text, Accessories grey: Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic

SOL Date: 15.02.2019

Novelty: no

Novelty until: 15.08.2019

Scope of delivery:



1 ST X-LOCK Backing Pad 125 mm medium.
For small angle grinders |

PRODUCT DESCRIPTION

The X-LOCK Backing Pad Medium is ideal for medium grit sanding (P80). It features a rigid multi-rib construction that maximises contact pressure between disc and workpiece, enabling fast work results. The ribs increase contact pressure and allow for a cooling air flow between disc and backing pad. Manufactured from thermostable plastic, it resists high temperatures and breakage. Changing backing pads is fast and convenient thanks to the keyless X-LOCK system.

Article ID: 2608601715

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.