Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH Y580 SANDING BELT. FOR POWERFILES

SKU: 3165140806329

Y580 sanding belt. For powerfiles

Categories: Accessories for BOSCH professional, Grinding and polishing

Product Features: Belt dimensions, width mm: 13
Belt dimensions, length mm: 457
Grit: 120
Benefit HL (short): Excellent Removal Rate
Performance Claim Text: Excellent Removal Rate
(Version) Key RTB: X-cloth backing provides stability and durability during sanding for impressive finishes in heavy-duty applications
Specific RTB1: Zirconia alumina abrasive grit delivers a brilliant removal rate along with high durability
Specific RTB2: Cooling aid ensures cool grinding with minimal discolouration of the workpiece
Specific RTB3: Electrostatically close-grain distribution and cooling additives for optimal sanding behaviour on metal surfaces
Material: Stainless steel
SOL Date: 01.07.2015
Novelty: no

Scope of delivery:
1 ST Y580 sanding belt. For powerfiles |

Copyright © 2023 Actik Tools All rights reserved

Copyright © 2023 Actik Tools

All rights reserved

Copyright © 2023 Actik Tools

All rights reserved



Copyright © 2023 Actik Tools

All rights reserved

PRODUCT DESCRIPTION

The Y580 Best for Inox has an excellent materials removal rate on Inox surfaces. Its stable X-cloth backing provides stability and durability during the sanding process for impressive surface finishes. Furthermore, its zirconia alumina abrasive grit delivers a brilliant removal rate along with high durability. The added cooling aid ensures cool grinding with minimal discolouration of the workpiece. It is intended for general use on difficult metal materials including welds and joints and grinding off rolling skins. It is also suitable for work on stainless steel and titanium as well as non-ferrous metals. It features electrostatically close-grain distribution and cooling additives for optimal sanding behaviour on metal surfaces. The grit is bonded using fully synthetic resin on X-cloth for high work stability and wear resistance with high removal rate in heavy-duty applications.

Article ID: 2608608Y49

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved