



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH
STRAIGHT BIT, 1/4", D1 9.5 MM, L 19.6
MM, G 51 MM. FOR HAND-HELD
ROUTERS**

SKU: 3165140358736

Straight bit, 1/4", D1 9.5 mm, L 19.6 mm, G 51 mm. For hand-held routers

Categories: [Accessories for BOSCH professional](#), [Cutters and planing knives](#)

Product Features: Shank Inch: 1/4

Diameter (D) mm: 9,5

Diameter (D) Inch: 3/8

Working length (L) mm: 19,6

Working length (L) Inch: 49/64

Total length (G) mm: 51

Total length (G) Inch: 2 1/64

Benefit HL (short): High Cutting Performance in General Routing

Performance Claim Text: For General Routing (Version) Key RTB: Durability and reliable cutting results are achieved via the high-quality tungsten carbide cutter

Specific RTB1: Bit design prevents kickbacks by limiting the generated chip-thickness

Specific RTB2: Intended for routing grooves, slotting, rebating and jointing in soft and hard solid wood as well as wooden composites

Material: Hardwood

Material: Particleboard

Material: Medium density fibreboard

Material: Plywood

Material: Softwood

SOL Date: 23.02.2005

Novelty: no

Scope of delivery:

1 ST Straight bit, 1/4", D1 9.5 mm, L 19.6 mm,



G 51 mm. For hand-held routers |







PRODUCT DESCRIPTION

The Standard for Wood Straight Bit delivers a high cutting performance in general routing applications. Durability and reliable cutting results are achieved via the high-quality tungsten carbide cutter. Furthermore, the bit prevents kickbacks by limiting thickness of the generated chips. It is intended for routing grooves, slotting, rebating and jointing in soft and hard solid wood as well as wooden composites.

Article ID: 2608628412

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.