



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH
STRAIGHT BIT, 12 MM, D1 20 MM, L 40
MM, G 81 MM. FOR HAND-HELD
ROUTERS**

SKU: 3165140420310

Straight bit, 12 mm, D1 20 mm, L 40 mm, G
81 mm. For hand-held routers

Categories: [Accessories for BOSCH
professional](#), [Cutters and planing knives](#)

Product Features: Shank mm: 12
Diameter (D) mm: 20
Working length (L) mm: 40
Total length (G) mm: 81
Benefit HL (short): High Cutting Performance
in General Routing
Performance Claim Text: For General Routing
(Version) Key RTB: High-quality tungsten
carbide cutter for durability and reliable
cutting results
Specific RTB1: Bit design prevents kickbacks
by limiting the generated chip-thickness
Specific RTB2: Intended for routing grooves,
slotting, rebating and jointing in soft and
hard solid wood as well as wooden
composites
Specific RTB3: Longer bit length for greater
cutting depth and flexibility
Material: Hardwood
Material: Particleboard
Material: Medium density fibreboard
Material: Plywood
Material: Softwood
SOL Date: 16.02.2006
Novelty: no

Scope of delivery:
1 ST Straight bit, 12 mm, D1 20 mm, L 40 mm,
G 81 mm. For hand-held routers |









PRODUCT DESCRIPTION

The Standard for Wood Straight Bit offers a high cutting performance in general routing applications. It features a high-quality tungsten carbide cutter for durability and reliable cutting results. Furthermore, the bit prevents kickbacks by limiting the thickness of the generated chips. It is intended for routing grooves, slotting, rebating and jointing in soft and hard solid wood as well as wooden composites. The bit's longer working length enables greater flexibility and deeper cutting in thick working materials.

Article ID: 2608628468

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.